


FIG. 1

10071873, 020802






FIG. 3

10071873.020002




Fig. 4

|                   |         |                      |            |               |      |          |       |            |       |     |     |
|-------------------|---------|----------------------|------------|---------------|------|----------|-------|------------|-------|-----|-----|
| 504               |         | 506                  | 508        | 510           | 512  | 514      | 516   | 518        | 520   | 522 | 500 |
| Name              | Status  | Type                 | Value      | Mask          | VLAN | Priority | Deny? | Rate Limit | Layer |     |     |
| Contain Subnet 54 | Enabled | IP Address Bilateral | 10.20.54.0 | 255.255.255.0 | 55   | 7        | No    | None       | 3     |     |     |
| 502               |         |                      |            |               |      |          |       |            |       |     |     |

Fig. 5

|                               |                   |                   |                   |                   |     |     |
|-------------------------------|-------------------|-------------------|-------------------|-------------------|-----|-----|
| 604                           |                   | 606               | 608               | 610               | 612 | 600 |
| Name                          | Rule 1            | Rule 2            | Rule 3            | Rule 4            | 602 |     |
| Contain IP Eng Subnet Traffic | Contain Subnet 54 | Contain Subnet 55 | Contain Subnet 56 | Contain Subnet 57 | 600 |     |

Fig. 6

|             |              |                  |              |              |                               |     |     |
|-------------|--------------|------------------|--------------|--------------|-------------------------------|-----|-----|
| 704         |              | 706              | 708          | 710          | 712                           | 714 | 700 |
| Name        | Default VLAN | Default Priority | Service 1    | Service 2    | Service 3                     | 702 |     |
| Engineering | 5            | None             | Contain DHCP | Contain ICMP | Contain IP Eng Subnet Traffic | ... |     |

Fig. 7

10071873, 020802

Edit Rule

Traffic Classification Type  
Local Network

Traffic Classification Type  
IP Address B/ateral

IP Address B/ateral

Valid: 10.20.54.0

Mask: 255.255.255.0

OK  
Apply  
Cancel  
Help

Fig. 8




Fig. 9.

File Edit View Tools Help

Services Network Management Main Process

Service Groups

- Contain ARP/ARP
- Contain AppleTalk
- Contain CTRIX
- Contain DHCP
- Contain ICMP
- Contain IP Eng Subnet Traffic
  - contain subnet 54
  - contain subnet 55
  - contain subnet 56
  - contain subnet 57
- Contain IP NetBIOS
- Contain NetWare
- Contain SAP
- Contain Telnet
- Deny AppleTalk
- Deny Boot/DHCP Servers
- Deny CTRIX
- Deny FTP
- Deny Internet Access
- Deny MMAC+ Polls
- Deny Raw NetBIOS
- Deny SAP
- Deny VoIP
- High Priority Internet Access
- High Priority SAP
- High Priority VoIP
- Low Priority Internet Access
- Routing Protocols

Details View [Expand] [Collapse]

Contents of Services Containing Subnet Traffic

| Name              | Rule Status | Rule Type            | Rule Value | Rule Mask     | Rule Action    | Priority   |
|-------------------|-------------|----------------------|------------|---------------|----------------|------------|
| contain subnet 54 | Enabled     | IP Address Bilateral | 10.20.54.0 | 255.255.255.0 | 5[Engineering] | Priority 7 |
| contain subnet 55 | Enabled     | IP Address Bilateral | 10.20.55.0 | 255.255.255.0 | 5[Engineering] | Priority 7 |
| contain subnet 56 | Enabled     | IP Address Bilateral | 10.20.56.0 | 255.255.255.0 | 5[Engineering] | Priority 6 |
| contain subnet 57 | Enabled     | IP Address Bilateral | 10.20.57.0 | 255.255.255.0 | 5[Engineering] | Priority 4 |

Fig. 10.






Fig. 11






Fig. 12









Fig. 13C



10071873.020002




FIG. 14 B

5-1500




FIG. 15